

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	127	(storage with (block\$level and file\$level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 23:11
L2	124	(storage with (block-level and file-level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 23:12
L3	2	l2 and @ad<"20010101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 23:12
L4	27	l2 and polic\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 23:13
L5	97	l2 not l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 23:15
S1	5714	(plurality or multiple) near7 (storage near5 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 12:47
S2	420	S1 and (storage with polic \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 12:48
S3	49	S2 and ((remotr\$3 or non \$local or external) near9 (data or file or document) with server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 12:50

S4	49	S2 and (((9remotr\$3 or non\$local or external) near9 (data or file or document)) with server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 12:51
S5	49	S2 and (((remotr\$3 or non\$local or external) near9 (data or file or document)) with server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 12:51
S6	253	(storage with polic\$3) with meta\$data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:05
S7	213	(storage near9 polic\$3) with meta\$data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:05
S8	78	S7 and (determin\$3 or identif\$3) with ((file or data or document) near9 location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:06
S9	78	S8 not S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:07
S10	100	S7 and ((remotr\$3 or non\$local or external) near9 (data or file or document))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:23
S11	96	S10 and (meta\$data near9 (file or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:23

S12	75	S11 and (location near9 (file or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:24
S13	31	S9 not S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:24
S14	37	(storage near9 polic\$3) and (((file or data) near5 header) with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:29
S15	36	S14 not S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:29
S16	31	S1 and (((file or data) near5 header) with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:37
S17	34	S15 not S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:38
S18	29	S16 not S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:38
S19	1	S18 and ((polic\$3 or rule) with server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:41

S20	1	S18 and ((polic\$3 or rule) same storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:42
S21	3631	((file or data) near5 header) with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:50
S22	8881	((file or data) near5 (meta \$data or flag or header)) with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:53
S23	341	S22 and ((polic\$3 or rule) with engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:53
S24	294	S22 and ((polic\$3 or rule) near5 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:54
S25	31	S24 and @ad<"20001101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:55
S26	32	S24 and @ad<"20001201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 13:55
S27	0	S18 and ((polic\$3 or rule) with (meta\$date near9 storage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 14:22

S29	333	((policy or rule) with (metadata near9 storage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 14:22
S30	140	S29 and ((data or resource) near3 location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 14:23
S31	1	S30 and @ad<"20001201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 14:24
S32	165	S29 and ((data or resource or file) near3 location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 14:25
S33	1	S32 and @ad<"20001201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 14:25
S34	201	S29 and ((data or resource or file) near7 location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 14:26
S35	19	S34 and @ad<"20001201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 14:26
S36	214500	(storage near2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 14:41

S37	3521	S36 and (((file or data or resource or object) near5 (meta\$data or identifier)) with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 14:43
S38	349	S37 and ((polic\$3 or rule) near3 (engine or control))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 14:44
S39	42	S34 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 14:44
S40	2626	((client or terminal) near5 request\$3) with (storage near5 server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 15:00
S41	29	S40 and (polic\$3 with location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 15:00
S42	2700	((client or terminal or node) near5 request\$3) with(storage near5 server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 15:11
S43	19	S42 and ((server near7 meta\$data) with ((data or resource) near7 location))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/21 15:14
S44	494	(storage systems) with (central near4 polic\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 12:09

S46	14	(storage near3 systems) with (central near4 polic\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 13:16
S47	58	(storage near3 systems) with (server near4 polic\$)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 13:18
S48	58	S47 not S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 13:18
S61	22	S58 and ((data or file) near9 location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 14:46
S62	8	S58 and (((data or file) near9 location) with meta \$data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 14:48
S68	30	(US-20080027746-\$ or US- 20020040405-\$ or US- 20030195895-\$ or US- 20040148382-\$ or US- 20030056069-\$ or US- 20060195616-\$ or US- 20020103907-\$ or US- 20020133491-\$ or US- 20050251500-\$ or US- 20080066151-\$ or US- 20050138204-\$ or US- 20020124090-\$ or US- 20020065946-\$ or US- 20010013064-\$).did. or (US-7349960-\$ or US- 7146377-\$ or US-6148349- \$ or US-6859841-\$ or US- 6757794-\$ or US-6490666- \$ or US-6076105-\$ or US- 7293083-\$ or US-7124180- \$ or US-7020697-\$ or US- 6577636-\$ or US-5682535- \$ or US-6542967-\$ or US- 7237027-\$ or US-6697846- \$ or US-7032022-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/09/22 17:07

S69	5	S68 and (server near5 (authenticat\$3 or authorizat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 17:07
S70	7	S68 and (server near5 (authenticat\$3 or authoriz\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 17:09
S71	264	quota and (server near5 (authenticat\$3 or authoriz\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 20:18
S72	100	quota and frequency and (server near5 (authenticat\$3 or authoriz\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 20:21
S73	3	S72 and block\$level and file\$level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 20:23
S74	264	(quota or limut) and (server near5 (authenticat\$3 or authoriz\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 20:24
S75	153	quota and frequen\$3 and (server near5 (authenticat\$3 or authoriz\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 20:25
S76	3	S75 and block\$level and file\$level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 20:25

S77	209	quota and (frequency near5 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 20:26
S78	3	S77 and block\$level and file\$level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 20:26
S79	902	quota and ((frequency near5 data) or (number near3 time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 20:27
S80	377	quota and ((frequency or (number near3 time)) with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 20:28
S81	3	S80 and block\$level and file\$level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 20:28
S82	3	S79 and block\$level and file\$level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/22 20:38

9/23/2008 12:14:24 AM

C:\Documents and Settings\tchbouki\My Documents\EAST\Workspaces\RCEs\10777418.wsp